




AUPU BATH FANS






- High performance AC motor bath fan for residential construction
- Modern aesthetic grille design
- Single speed air-flow CFM 80 or CFM 110
- Metal fan body with rust-proof black painting
- Unique metal outlet adapts to 4", 5", 6" three sizes duct
- Patent quick mounting metal bracket for new construction and retrofit
- ETL approved for ceiling mount
- Fan body size 10.39" × 10.31" × 7.48", grille size 12.99" × 12.99"



MODEL#: AV11A1

Static Pressure(Inch w.g.)	0.1	0.25
Air Flow(CFM)	110	86
Sones	0.9	0.9
Power Consumption(Watts)	24.5	22.6
Energy Efficiency(CFM/Watts)	4.5	3.8
Power Rating(V/Hz)	220/50	

AC Motor Bath Fans



- High performance AC motor bath fan for residential construction
- Modern aesthetic grille design
- Single speed air-flow CFM 80 or CFM 110
- Metal fan body with rust-proof black painting
- Dimmable 10W LED panel with 0.7W night light for energy saving
- Unique metal outlet adapts to 4", 5", 6" three sizes duct
- Patent quick mounting metal bracket for new construction and retrofit
- ETL approved for ceiling mount
- Fan body size 10.39" × 10.31" × 7.48", grille size 12.99" × 12.99"




MODEL#: AV11AL1

Static Pressure(Inch w.g.)	0.1	0.25
Air Flow(CFM)	110	89
Sones	0.7	0.8
Power Consumption(Watts)	24.8	23.1
LED (Watts)	10	
Night Light(Watts)	0.7	
Energy Efficiency(CFM/Watts)	4.4	3.8
Power Rating(V/Hz)	220/50	

MODEL#: AVS0511D3

Static Pressure(Inch w.g.)	0.1	0.25	0.1	0.25	0.1	0.25
Air Flow(CFM)	50	49	80	80	110	110
Sones	<0.3	0.5	0.4	0.9	1.4	1.5
Power Consumption(Watts)	4.6	7.6	7.4	11.5	14.2	18.9
Energy Efficiency(CFM/Watts)	11.1	6.6	10.9	7.0	7.8	5.8
Power Rating(V/Hz)	220/50					




- Energy efficient bath fan for all residential ceiling mount and wall mount
- Innovation brushless DC motor with permanent magnet rotor
- Built-in speed control, choosing the CFM50, 80 or 110
- Low Profile steel fan body with black paint design
- Quick mounting metal bracket for new construction, retrofit
- ETL approved for ceiling and wall mount
- 4" oval outlet design
- Fan body size 10.25" × 10.25" × 3.5", grille size 13" × 13"



MODEL#: AVS0511DL3

Static Pressure(Inch w.g.)	0.1	0.25	0.1	0.25	0.1	0.25
Air Flow(CFM)	50	49	80	80	110	110
Sones	<0.3	0.5	0.4	0.9	1.4	1.5
Power Consumption(Watts)	4.6	7.6	7.4	11.5	14.2	18.9
LED(Watts)	10					
Night Light(Watts)	0.7					
Energy Efficiency(CFM/Watts)	11.1	6.6	10.9	7.0	7.8	5.8
Power Rating(V/Hz)	220/50					



- Energy efficient bath fan for all residential ceiling mount and wall mount
- Innovation brushless DC motor with permanent magnet rotor
- Built-in speed control, choosing the CFM50, 80 or 110
- Low profile steel fan body with black paint design
- Quick mounting metal bracket for new construction, retrofit
- ETL approved for ceiling and wall mount
- 4" oval outlet design
- Fan body size 10.25" × 10.25" × 3.5", grille size 13" × 13"

